



Specifications for Project

715 SOUTH FILLMORE AVENUE
SPEC HOME

Salesperson

Dave Seithel
dave@autco.com



REMINDER: To ensure a smooth project it is the responsibility of the homeowner / purchaser of appliances for this project to share all the attached specifications to ensure the cabinet provider, contractor, or any other tradesperson have all the information required to complete their work accurately.

Specifications are subject to change. If any tradesperson has questions regarding the attached specifications please contact our sales associate.

715 SOUTH FILLMORE AVENUE
SPEC HOME

715 SOUTH FILLMORE AVENUE
SAINT LOUIS, MO 63122
CONTACT: JILLIAN GROSS



<i>Contents</i>	<i>Page no.</i>
PWE23KYNFS GE Refrigeration GE Profile ENERGY STAR 23.1 Cu. Ft. Counter-Depth Fingerprint Resistant French- Door Refrigerator	4-5
PGS930YPFS GE Range GE Profile 30" Smart Slide-In Front-Control Gas Fingerprint Resistant Range with No Preheat Air Fry	6-7
JVW5301SJSS GE Ventilation GE 30" Wall-Mount Pyramid Chimney Hood	8-9
PDT715SYNFS GE Dishwasher GE Profile Fingerprint Resistant Top Control with Stainless Steel Interior Dishwasher with Sanitize Cycle & Dry Boost with Fan Assist	10-11
SMD2470ASY	12-13

AUTCOhome Appliances

autcohome.com

Dave Seithel

Sales

(314) 680-2052

Quote **20230710193737617SC**

Version 1.1

Mon, Jul 10, 2023

2:37 PM CDT



enterprise.steelcod.com/sp/atco/GXBZ02F7

Note about page numbers:

Because the original manufacturer's documents are not altered in any way, the page numbers displayed on the page may not correspond to the page number within this package.

All specifications are intended for initial planning purposes only.

Manufacturers reserve the right to change specifications at any time without notice. Always consult the installation instructions found on the manufacturer's website or included with the appliances before installation.

Sharp Microwave

24 in. 1.2 cu. ft. 950W Stainless Steel
Microwave Drawer Oven

Note about page numbers:

Because the original manufacturer's documents are not altered in any way, the page numbers displayed on the page may not correspond to the page number within this package.

All specifications are intended for initial planning purposes only.

Manufacturers reserve the right to change specifications at any time without notice. Always consult the installation instructions found on the manufacturer's website or included with the appliances before installation.



GE APPLIANCES
a Haier company



Model#: PWE23KYNFS

GE Profile™ ENERGY STAR® 23.1 Cu. Ft. Counter-Depth French-Door Refrigerator

Approx Dimensions (HxDxW):
69 7/8 in X 31 1/4 in X 35 3/4 in

- Fingerprint resistant stainless - Easily wipe away smudges and fingerprints for a look that's always sparkling clean
- Counter-depth design - Offers a built-in look by fitting nearly flush with surrounding cabinetry
- Internal water dispenser - Delivers filtered water with one touch
- Full-width, electronic temperature-controlled drawer with LED lights - 3 accurate settings deliver the optimal temperature for your favorite foods
- TwinChill™ evaporators - Separate climates in the fresh food and freezer sections help keep foods fresh
- Advanced water filtration uses RPWFE replacement filter - Reduces trace pharmaceuticals from water and ice* (* Removes 98% of ibuprofen, atenolol, fluoxetine, progesterone and trimethoprim. These pharmaceuticals are not necessarily in all users' water)
- Showcase LED lighting - Positioned throughout the interior and under fresh food doors to spotlight foods inside the refrigerator and in the freezer

Warranty Information:

- Parts Warranty : Limited 1-year entire appliance Limited 5-year sealed refrigerating system
- Labor Warranty : Limited 1-year entire appliance Limited 5-year sealed refrigerating system
- Warranty Notes : See written warranty for full details

Also Available in:


PWE23KELDS - Black Slate
PWE23KMKES - Slate

PWE23KEL/KMK/KSK/KYN

GE Profile™ Series ENERGY STAR® 23.1 Cu. Ft. Counter-Depth French-Door Refrigerator

DIMENSIONS AND INSTALLATION INFORMATION (IN INCHES)

Height to top of door (in.) A	70-1/2
Height to top of hinge (in.) B	69-7/8
Height to top of case (in.) C	69
Case depth without door (in.) D	24-3/8
Case depth less door handle (in.) E	28-3/4
Case depth with door handle (in.) F	31-1/4
Depth with fresh food door open 90° (in.) G	43-3/8
Width (in.) H	35-3/4
Width with door open 90° with door handle (in.) I	44-3/4
Width with doors open fully (in.) J	61-5/8
Min distance between side of case and wall, in either direction, to allow doors to open fully (in.) K	13-1/8
Depth with FZ door completely open (w/o handle) (in.) X	44-1/4
Depth with FZ door completely open (w/ handle) (in.) Y	46-3/4



For answers to your Monogram, GE Café™ Series, GE Profile™ Series or GE Appliances product questions, visit our website at geappliances.com or call GE Answer Center® Service, 800.626.2000.



Listed by
Underwriters
Laboratories



As an ENERGY STAR® partner, GE has determined that this product meets the ENERGY STAR guidelines for energy efficiency.



GE APPLIANCES
a Haier company



Model#: PGS930YPFS

**GE Profile™ 30" Smart Slide-In
Front-Control Gas Fingerprint Resistant
Range with No Preheat Air Fry**

Approx Dimensions (HxDxW):
36 1/2 in X 29 1/2 in X 30 in

- No Preheat Air Fry - With this air fryer right in the oven, you can cook healthier, crispier versions of your favorite foods. There's no preheat required and it shortens the cook time because every minute counts
- Built-in WiFi - This smart oven features built-in WiFi so you can control oven functions with the SmartHQ app on your smart device
- Fingerprint resistant stainless - Easily wipe away smudges and fingerprints for a look that's always sparkling clean
- Fit Guarantee - This gas range will fit your existing 30" cut-out, or GE Appliances will help pay for modifications up to \$300.
- Edge-to-edge cooktop - Continuous, edge-to-edge cooktop give you a large cooking space and can handle any cookware
- Tri-ring burner - A versatile burner offers three different-sized flame rings on a single burner element, so it's like having three burners in one

Warranty Information:

- Parts Warranty : Limited 1-year entire appliance
- Labor Warranty : Limited 1-year entire appliance
- Warranty Notes : See written warranty for full details

Also Available in:

PGS930BELTS - Fingerprint Resistant Black Stainless
PGS930FELDS - Fingerprint Resistant Black Slate

PGS930YP/BP


GE Profile™ 30" Smart Slide-In Front-Control Gas Fingerprint Resistant Range

NOTE: Door handle protrudes 3" from door face. Cabinets and drawers on adjacent 45° and 90° walls should be placed to avoid interference with the handle.


NOTE: Cabinets installed adjacent to slide-in ranges must have an adhesion spec of at least 194° temperature rating.

INSTALLATION INFORMATION: Before installing, consult installation instructions packed with product for current dimensional data.

For all installations, install the required rear trim to back of range with 4 screws provided.



GAS PIPE AND ELECTRICAL OUTLET LOCATIONS



Note A: 30" Minimum to bare cabinet, see installation instructions heights less than 30"



For answers to your Monogram, GE Café™, GE Profile™ or GE Appliances product questions, visit our website at geappliances.com or call GE Answer Center® Service, 800.626.2000.



All GE ranges are equipped with an Anti-Tip device. The installation of this device is an important, required step in the installation of the range.



Model#: JWV5301SJSS

GE® 30" Wall-Mount Pyramid Chimney Hood



Approx Dimensions (HxDxW):
9 7/8 in X 18 1/2 in X 30 in

- Easy do-it-yourself Installation -
- 350-CFM venting system with boost - Effectively remove smoke, grease, odor and moisture
- Electronic backlit controls - Add a sophisticated look with this up-front, easy-to-use display
- Dual halogen cooktop lighting - Enjoy better visibility with a brightly lit cooktop and surrounding surface
- Night light - Keep a dim light on for visibility at all hours
- Convertible venting options - Select recirculating or external venting
- Optional remote control (JXRC70) - Control your ventilation lighting and fan speed from anywhere in the kitchen

Warranty Information:

- Labor Warranty : Limited 1-year entire appliance
- Parts Warranty : Limited 1-year entire appliance
- Warranty Notes : See written warranty for full details

Also Available in:

- JWV5301BJTS - Fingerprint Resistant Black Stainless
- JWV5301FJDS - Fingerprint Resistant Black Slate
- JWV5301EJES - Fingerprint Resistant Slate

JVW5301SJ/EJ/BJ/FJ

GE® 30" Wall-Mount Pyramid Chimney Hood

DIMENSIONS AND INSTALLATION INFORMATION (IN INCHES)

INSTALLATION INFORMATION:

Before installing, consult Use & Care/installation instructions packed with product for current dimensional data.

OPTIONAL ACCESSORIES

UXDC72SJSS/FJDS/BJTS – 9(ft.) Ceiling Duct Cover Kit

UXDC53SJSS/EJES/BJTS/FJDS – 10(ft.) Ceiling Duct Cover Kit

For 30" distance from counter to hood:

Below 8'-4" ceiling height – no duct cover required


8'-4" – 9'-6" ceiling height – use UXDC72SJSS/FJDS/BJTS

Above 9'-7" ceiling height – use UXDC53SJSS/EJES/BJTS/FJDS

Refer to Installation Instructions for exact specifications

UXRC70 – Remote Control


JXCF72 – Charcoal Filter (needed if used in recirculation mode)



30" Models Require a 30"-Wide Opening

*The supplied duct cover fits 7'-4" to 9'-0" ceiling heights (10' with optional high ceiling kit UXDC53)

AMP RATING	
120V	2.5



The vent hood must be installed 24" min. above the cooking surface. For optimal performance, installing the hood more than 38" above the cooking surface is not recommended. The hood installation height above the cooking surface depends upon ceiling height. The telescopic duct cover conceals the ductwork running from the top of the hood to the ceiling.

NOTE: Installation height should be measured from the cooking surface to the lowest part of the hood. This hood may be installed onto a wall and vented to the outdoors, or it can be installed for recirculating operation. Parts for recirculating operation are supplied with the hood. However, when installed for recirculating operation, the optional charcoal Filter JXCF72 will need to be purchased separately.




For answers to your GE Profile™ Series or GE Appliances product questions, visit our website at geappliances.com or call GE Answer Center® Service, 800.626.2000.



Specification Revised 01/20



GE APPLIANCES
a Haier company



Model#: PDT715SYNFS

GE Profile™ Stainless Steel Interior Dishwasher with Hidden Controls

Approx Dimensions (HxDxW):
34 in X 24 in X 23 3/4 in

- Dry Boost with Fan Assist - Use the latest in drying technology to get hard-to-dry items like plastic tumblers up to three times drier than other heated cycles can.
- Deep Clean Silverware Jets - No matter how you load your silverware basket, powerful jets blast away stuck-on food for silverware that's always spotless
- Bottle Jets - Clean hard-to-reach areas inside tall items with up to 4 dedicated jets integrated into the upper rack that shower water deep inside for the ultimate clean
- Third Rack - Now there's a place for miscellaneous items and gadgets, thanks to an additional rack at the top of the dishwasher that's ideal for plastic lids, pizza slicers and more.
- Steam + Sani - Loosens tough soils before any cycle virtually eliminating the need for soaking or pre-rinsing dishes. Plus a High-temperature rinse sanitizes and reduces 99.999% of bacteria found on dishes

Warranty Information:

- Parts Warranty : Limited 1-year entire appliance
- Labor Warranty : Limited 1-year entire appliance
- Warranty Notes : See written warranty for full details

Also Available in:

PDT715SFNDS - Black Slate
PDT715SMNES - Slate
PDT715SBNTS - Black Stainless

PDT715SBN/SFN/SMN/SYN

GE Profile™ Series Stainless Steel Interior Dishwasher with Hidden Controls



DIMENSIONS AND INSTALLATION INFORMATION (IN INCHES)

ELECTRICAL RATING

Voltage AC.....	120
Hertz.....	60
Total connected load amperage.....	6.6
Calrod® heater watts max.....	800/500

For use on adequately wired 120-volt, 15-amp circuit having 2-wire service with a separate ground wire. This appliance must be grounded for safe operation.

INSTALLATION INFORMATION: Before installing, consult installation instructions packed with product for current dimensional data.



For answers to your GE Profile™ Series or GE Appliances product questions, visit our website at geappliances.com or call GE Answer Center® Service, 800.626.2000.



Listed by Underwriters Laboratories



As an ENERGY STAR® partner, GE has determined that this product meets the ENERGY STAR guidelines for energy efficiency.

SHARP | Simply Better Living

MICROWAVE DRAWER™

SMD2470AS

1.2
CU.FT.

950
WATTS

Easy Touch automatic drawer system smoothly opens and enables hands-free close

Convenient kitchen placement allows for easier cooking, saves prep and clean up time

Concealed control panel opens to an easy-to-read and operate 45° angle

Cooking space large enough for a 4 qt casserole dish or a 20 oz beverage

Cooking performance from one of the most trusted brands in microwaves



DESIGNED FOR YOUR DREAM KITCHEN

It's your kitchen, your design and your lifestyle. Sharp's Microwave Drawer™ Oven allows you to focus on the design elements you prefer by removing the microwave from sight-lines and enabling more design versatility than typical built-in, over-the-range or countertop microwaves. The Microwave Drawer™ offers flexible placement options below an island, peninsula, or standard cabinetry, and can also be installed adjacent to your wall oven. The Microwave Drawer™ allows you to showcase your design savvy and create a kitchen that flows with your lifestyle.

The Sharp Microwave Drawer™ Oven boasts an easy-to-read display that disappears until you need it. The concealed control panel opens at a 45-degree angle, so it's easy to read and operate. Sharp's exclusive Easy Touch Automatic Drawer system eases open with the touch of a button. Give the drawer a small nudge and it smoothly shuts for you. The even, gliding action and solid construction helps prevent liquids from spilling during opening and closing.



1.2 cu. capacity large enough for a 4-qt casserole dish and tall enough for a large, 20 oz. beverage cup. (Installed in a kitchen island)



Cooking and cleaning is made easier by putting the microwave at an accessible height. (Installed under a counter)



Designed to complement the widest range of kitchen styles and appliances, including our SuperSteam+. (Paired with a built-in wall oven)

SHARP ELECTRONICS CORPORATION
100 Paragon Drive, Montvale NJ, 07645
1.800.237.4277 • www.sharppusa.com

SHARP
Be Original.

SHARP | Simply Better Living

MICROWAVE DRAWER™

SMD2470AS



SPECIFICATIONS

FEATURES	
Finish	Stainless Steel
Drawer Opening	Easy Touch Automatic
Capacity*	1.2 cu. ft. (holds 9" x 13" dish)
Output Power	950 watts
Sensor Cook, Reheat and Popcorn	Yes, 12 settings
Reheat Auto Settings	2 settings
Defrost Auto Settings	6 settings
Microwave Keep Warm Setting	Yes, up to 30 minutes
Clock	Yes
Minute Plus™	Yes
Interior Oven Light	Yes
Kitchen Timer	Yes
Control Lock	Yes
Demonstration Mode	Yes
Built-In Ready for Easy Installation	Yes

CONTROL PANEL	
Control Panel Location	Center/Top
Control Panel Type	Touchpad, Drop-Down 45° Angle
Display Type	LCD
Display Color	White on Black Background



OPTIONAL ACCESSORY	
24" Flush Mount Deflector Vent	SKMD24F0AS
Flush Mount Deflector Vent Kit	(1) PREF-B019MRPO (2) LX-CZB055MRE0

ADDITIONAL SPECIFICATIONS	
Power Connection:	3-Prong Grounding Plug (included)
Power Ratings:	120V, 60Hz / 1.67kW, 14.5 Amps
Safety Compliance:	FCC, DHHS, UL listed

DIMENSIONS & WEIGHT (in./lbs.) (w x h x d)	
Cutout Dimensions:	22 1/8" x 15 9/16" x 23 1/2"
Dimensions:	23 7/8" x 15 7/8" x 23 1/64"
Shipping Weight (lbs.):	86
Product Weight (lbs.):	74

WARRANTY/UPC	
Parts	1 year
Labor	1 year
Magnetron Tube	5 years total (part only)
UPC	074000619371

[CLICK TO DOWNLOAD INSTALLATION GUIDE](#)



Internal capacity calculated by measuring maximum width, depth and height. Actual capacity for holding food is less.

Product specifications and design are subject to change without notice.

© 2018 Sharp Electronics Corporation. All rights reserved.

Sharp, Microwave Drawer, Supersteam+, Healsio, Plasmacluster and all related trademarks are trademarks or registered trademarks of Sharp Corporation and/or its affiliated companies. All other trademarks are property of their respective owners.

QUESTIONS?
1.800.BE.SHARP

SIMPLY BETTER LIVING

At Sharp Home Electronics Company of America, we are committed to Simply Better Living. Our innovative home appliance products are SIMPLE to use, BETTER than the competition, and encourage a HEALTHY LIFESTYLE.

